Date:

Tuesday, 04/07/2006 12:35:21 PM

Linda Lacelle .User:

1

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

: 27736

Job Number **Estimate Number**

: 11231

P.O. Number

AIU:

: 04/07/2006 This Issue Prsht Rev.

: NC

: 28/06/2006

Type

S.O. No. : 1/1/2

: MACHINED PARTS

: D2348 . D2348 REV B2

Drawing Number Project Number

Drawing Name

Part Number

: N/A

Drawing Revision

Material

ALT:

Due Date

: 22/07/2006

: WEAR PLATE

Qty:

50 Um: Each

Checked & Approved By

Comment

First Issue

Written By

Previous Run

: Est Rev A

Removed from 9 Digit

05-12-05 JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

M6061T6S063 1.0

6061-T6 .063 Sheet



Comment: Qty.:

0.0208 sf(s)/Unit Total: 1.0395 sf(s) Material: 6061-T6 (QQ-A-250/11) 0.063" thick

(M6061T6S.063)

Batch: 1/18550

2.0



Comment: FLOW WATER

3.0 QC2

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE



4.0

QC8

SECOND CHECK



Comment: SECOND CHECK

5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr

SAD



6.0

QC5



INSPECT WORK TO CURRENT STEP







Tuesday, 04/07/2006 12:35:21 PM 'Date: Linda Lacelle User: **Process Sheet Drawing Name: WEAR PLATE** Customer: CU-DAR001 Dart Helicopters Services Job Number: 27736 Part Number: D2348 Job Number: Seq. #: Description: **Machine Or Operation:** OUTSIDE SERVICE **OUTSIDE SERVICES** 7.0 Comment: Sub-Contracting PURCHASING C206/08/09 Issue P/O: 1197 Black Anodize per Dwg D2348 Ensure Certificate of Conformity is attached 8.0 PACKAGING 1 PACKAGING RESOURCE #1 **Comment: PACKAGING RESOURCE #1** Receive & Inspect For Transit Damage Ensure certificate of conformity is attached INSPECT POWDER COAT/CHEMICAL CONVERSION 9.0 OWDER COAT/CHEMICAL CONVERSION 10.0 FE832EF Comment: Qty.: 4.0000 Each(s)/Unit Total: 200.0000 Each(s) Pick: Qty Part Number Description Batch M101483 4 FE832EF PEM Insert___ M101635 SMALL & MEDIUM FAB RESOURCE 1 11.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Install Insert as per Dwg D2348 INSPECT WORK TO CURRENT STE 12.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 13.0 **PACKAGING 1 Comment: PACKAGING RESOURCE #1** Identify and Stock Location: 3T40

Date:

Tuesday, 04/07/2006 12:35:21 PM

Linda Lacelle User:

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEAR PLATE

Job Number: 27736

Part Number: D2348

Job Number:



Seq. #:

Machine Or Operation:

Description:

14.0

DOCUMENT CONTROL

Comment: DOCUMENT CONTROL

Inspection Level 21

Job Completion



A06.08.29 U06.08.23



Date Step Procedure Change by date aty Approval Que 06.08:16 9.1 Perm. Change. E 66.08:24 lobosib

,

7

Dart Aerospace Ltd. Wednesday, 6/28/2006 4:17:20 PM User: Kim Johnston **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : WEAR PLATE Job Number : 27736 : 11231 **Estimate Number** : D2348 Part Number P.O. Number : D2348 REV B2 : 6/28/2006 This Issue S.O. No. : **Drawing Number** : NC **Project Number** : N/A Prsht Rev. : MACHINED PARTS : 11 : A First Issue Type **Drawing Revision** Material **Previous Run Due Date** : 7/22/2006 Qty: 50 Um: Written By Checked & Approved By Removed from 9 Digit 05-12-05 JLM Comment **Additional Product** Job Number: **Machine Or Operation:** Description: Seq. #: 1.0 M6061T6S063 6061-T6 .063 Sheet Comment: Qty.: 0.0208 sf(s)/Unit Total: 1.0395 sf(s) Material: 6061-T6 (QQ-A-250/11) 0.063" thick (M6061T6S.063) Batch: M18556 SHEAR 2.0 Comment: SH **Z**ut blan HAAS CNC VERTICAL MACHINING #1 3.0 ERTICAL MACHINING #1 4.0 QC2

5.0

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK

Comment: SECOND CHECK

QC8

Each

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector				
						1.0					

NCR:	See r	080 WC	ORK OR	DER NON-CONFORMANCE	(NCR)	1 1 2 200 200		
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	- I		Design Mgr	QC Inspector
06/08/17	7	46 part care back From Black anodize 4 part were missing	A.	Design Mgr Oty 46. Contact Sub-contractor to inform them of missing Parts. NO F	04.08.75 esponse		4/4	
				M ·				
								5.

Part No: Day PAR #: NA Fault Category: Supplied NCR: Yes No DQA: M. Date: 06.08.24

NOTE: Date & initial all entries

QA: N/C Closed: Date: 06.08.24

Date: 06.08.24

Wednesday, 6/28/2006 4:17:20 PM . Date: User: Kim Johnston **Process Sheet Drawing Name: WEAR PLATE** Customer: CU-DAR001 Dart Helicopters Services Job Number: 27736 Part Number: D2348 Job Number: Seq. #: Machine Or Operation: Description: SMALL & MEDIUM FAB RESOURCE 1 6.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr INSPECT WORK TO CURRENT STEP 7.0 QC5 Comment: INSPECT WORK TO CURRENT STEP OUTSIDE SERVICE 8.0 **OUTSIDE SERVICES** Comment: Sub-Contracting PURCHASING Issue P/O: Black Anodize per Dwg D2348 Ensure Certificate of Conformity is attached 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Receive & Inspect For Transit Damage Ensure certificate of conformity is attached 10.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PEM Insert 11.0 FE832EF Comment: Qty.: 4.0000 Each(s)/Unit Total: 200.0000 Each(s) Pick: Qty Part Number Description Batch 4 FE832EF PEM Insert_ SMALL & MEDIUM FAB RESOURCE 1 12.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Install Insert as per Dwg D2348

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC	Description of NC Corrective Action Section B			Verification	Annroyal				
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector			
	,			•							
								!			

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date: _		*
NOTE: Date & initial all entries				QA: I	√C C	losed:	 Date: _	•	1

, Date:

Wednesday, 6/28/2006 4:17:20 PM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEAR PLATE

Job Number: 27736

Part Number: D2348

Job Number:



Seq. #:

Machine Or Operation:

Description:

13.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

14.0

15.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:__

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21

Job Completion



Dart Aerospace Ltd

W/O:		WORK ORDER CI	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Annroyal	Approval QC Inspector			
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr				
				3							

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date:	
NOTE: Date & initial all entries				QA: N	I/C CI	osed:	Date:	

DART AEROSPACE LTD	Work Order:	21736
Description: Wear Plate	Part Number:	D2348
Inspection Dwg: D2348 Rev: B2		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article		Prototype
---	---------------	--	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.250	+/-0.010					
0.648	+/-0.010					
1.796	+/-0.010					
2.046	+/-0.010					
1.295	+/-0.010					
0.656	+0.005/-0.000					
0.290	+0.005/-0.000					
0.250	+/-0.010					
0.250	+/-0.010					
0.648	+/-0.010	1		F ,		
1.045	+/-0.010	7	AXO	X		
			V /	9		
			4			
		,				
				1		


Measured by:	Audited by:	Prototype Approval:	N/A
Date:	Date:	Date:	N/A

Rev	Date	Change		Revised by	Approyed
A 04	4.06.25	New Issue	P/O D350-616-015	KJ/JLM 🚓	



DESIGN DRAWN BY B WILLIAMS B WILLIAMS			DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA		
	CKED	APPROVED	DRAWING NO. D2348 SHEET	REV. 8	
DATE 95:	01:20		TITLE WEAR PLATE	SCALE 1:1	
В		95:02:20	CHANGED PEM INSERT TO 8-32		
BL	i i	00.03.07	CHANGE TO AISI 304/316 MATERIAL		
32	本体	02.02.21	CHANGE BACK 10 6061-16		

RELEASE DE 197/04/22 DS



NOTES: 1) MATERIAL: 6061-TO ALUMINIM SHEET 0.063 THICK FOR QQ-A-250/11 (M6061T65)

2) FINISH: BLACK AMODIZE PER MIL-A-8625F TYPE I ITE/TC/I/IB CLASS 2

SHOP COPY

3) INSTALL FERSZEF INSERTS AFTER AMODITUME

RETURN TO

4) ALL DIMENCIONS ARE IN INCHES

ENGINEERING

5) TOLERANCES ARE PER DART OSF OIB UNLESS OTHERWISE NOTED.

UNCONTROLLED COPY

SUBJECT TO AMENDMENT
WITHOUT NOTICE

WITHOUT NOTICE

00:03.07

4151 304/316 SS

RI ACK

MATERIAL: 6061-T6 ALUMINUM 0.063 THICK, ANODIZE BLACK
AFTER ANODIZING INSTALL (PEM FE832EF) 4 PLACES

DART AEROSPACE LTD	Work Order:	27736
Description:	Part Number:	2348
Inspection Dwg: Rev:		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article X Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
\$0.656	+1-0.0050.001	0.656	1		VRIN	
	H-0.0050001	0.290	J		VerN	
2.046	+1-0.010	2.050	V		VRIN	
1.295	+1-0.010	1.298	1		Very	
0.648	+1-0.010	0.648	\checkmark	-	Nory	
0.250	+1-0.010	0.250	\		VRIN	
1.796	+1-0.010	1.799			VPrN	
1.045	+1-0.010	1.045	$\sqrt{}$		vecN	
	·					
						·.
		*			,	
,					· · · · · · · · · · · · · · · · · · ·	
					F 2	

				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Measured by:	M. MI	Audited by:	Prototype Approval:	Ma
Date:	06 17 12	Date: 06-07-70	Date:	10 11 /

Rev	Date	Change	×	Revised by	Approved
Α		New Issue		KJ/JLM	

TNM

K6A 1K7

ANODISATION et PEINTURE TNM INC.

C. OF C



21 chemin de l'Aviation,Pointe Claire QC H9R 4Z2 Telephone: (514) 429-7777 Fax: (514) 429-5108 Certifié ISO 9001-2000 / AS9100 certified approuvé NADCAP approved

49229

14-Aug-2006

CLIENT / CUSTOMER:

DART AEROSPACE LTD. 1270 ABERDEEN STREET HAWKESBURY ONTARIO CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE

PURCHASE ORDER/ NO. DE COMMANDE:

00001797



TIEM: COMMANDE ORDERED	EXPEDIE - PART NU SHIPPED	MBER & DESCRIPTION	PART PROCES	SS & ITREATMENT	
1 50	50 D2348	WEARPLATE	BLACK ANOD	IZE PER MIL-A-8625F TXPE	II GLASS 2 ALL
	-				

Nous certifions que les pièces énumérées ont été traitées, testées et inspectées selon les spécifications mentionnées. Les cartes de travail ont été remplies et sont disponibles pour consultation, sur demande.

All parts are processed, tested, and inspected to the requirements of above specifications. Travel cards have been filed and are available for viewing upon request.

Signature/Signed:_

□ Directeur de la Qualité / Q.A. Manager 🗆 🗆 🗆